

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
31 January 2002 (31.01.2002)

PCT

(10) International Publication Number
WO 02/08087 A2

(51) International Patent Classification⁷: **B65D 83/08**

(21) International Application Number: **PCT/US01/21983**

(22) International Filing Date: **12 July 2001 (12.07.2001)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
09/619,158 **19 July 2000 (19.07.2000)** **US**

(71) Applicant (for all designated States except US): **CON-FAB SERVICES, AG [CH/CH]**; Schwertzstrasse, No. 9, CH-8200 Schaffhausen (CH).

(71) Applicant and

(72) Inventor: **LEVY, Ruth [US/US]**; 46 Basswood Court, Collegeville, PA 19426 (US).

(74) Agent: **STEIN, Barry, A.**; Cacsar, Rivise, Bernstein, Cohen & Pokotilow, Ltd., 12th floor, Seven Penn Center, 1635 Market Street, Philadelphia, PA 19103-2212 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **PACKAGE FOR CARRYING PLURAL PANTILINERS**



(57) Abstract: The combination of a package and plural absorbent pads, e.g., pantliners. The pads are folded and stacked on top of one another. The package includes an openable mouth, so that the user can grasp one of the pads to remove it from the package. The pads of the stack of may be interleaved so that removal of one pad from the package brings a portion of another pad to the mouth to facilitate the removal of that other pad from the package.

WO 02/08087 A2

PACKAGE FOR CARRYING PLURAL PANTILINERS**SPECIFICATION****FIELD OF THE INVENTION**

This invention relates generally to disposable absorbent articles and more specifically to packages of disposable absorbent articles, such as pantliners, to keep them clean, but readily removable from the package when desired for use.

BACKGROUND OF THE INVENTION

Heretofore the packaging of pantliners, sanitary napkins, and other sanitary absorbent articles which are designed for storage in a user's purse to keep them clean until needed has been accomplished by individually wrapping each absorbent article in its own package. Typically this is accomplished by folding each of the absorbent articles and then wrapping each individually in either a plastic film or paper stock. The plural individually wrapped articles may then be packaged in a carton or a flexible plastic film bag for sale. The purchaser/user can then remove one or more of the individually wrapped articles to place it/them in her purse for later use. One example of one such a packaged product is an overnight ultrathin maxipad sold by The Kendall Confab Retail Group, a division of the assignee of this invention, under the trademark FRESH TIMES®.

The patent literature also includes numerous examples of packages for individual absorbent articles. See for example, United States Letters Patents Nos.: 4,555,022 (Eagon et al.), 4,556,146 (Swanson), 4,765,477 (Fröidh et al.), 5,569,230 (Fisher et al.), and 5,827,251 (Moder) and United States Design Letters Patent No. D336,130.

While the prior art individual packaging is generally suitable for its intended purposes it still leaves much to be desired from various standpoints. For example, if a user wishes to store several articles in her purse, the use of several individually wrapped units will inherently take up considerable space in the purse. Moreover, the individual packages can shift around so as to wind up located in various portions of the purse.

Plural disposable sanitary napkins in a single package have been disclosed in United States Letters Patent Nos.: 4,564,108 (Widlund et al.) and 5,690,625 (Widlund).

Notwithstanding the foregoing a need exists for a package containing plural disposable absorbent sanitary articles which easily accessible to enable the ready retrieval of an article from the package while the remaining articles are kept in a clean protective environment, and which is compact in configuration and aesthetically pleasing.

SUMMARY OF THE INVENTION

The combination of a package and plural absorbent pads, e.g., pantliners. Each of the pads is an elongated generally planar member arranged to be worn by a wearer to trap and collect fluid waste products. Each pad includes a body engaging surface and has a periphery in the form of an opposed pair of end portions and an opposed pair of side portions, with the dimensions of the side portions being longer than the end portions. Each of the pads is folded along a line extending transversely to the side portions of the pad so that its body engaging surface forms the inner surface of the folded pad. The folded pads are stacked on top of each other. The package is formed of a flexible sheet material, e.g., a plastic film, and has a hollow interior into which the stack of pads is located. The package can take various forms, e.g., a pouch, a parallelepiped shaped gusseted member, etc., and has an openable mouth, e.g., a weakened line in a portion of the material making up the package, two overlapping edges of the material making up the package, etc. The openable mouth is located immediately adjacent the stack of pads so that the user can grasp one of the pads to remove it from the package through the openable mouth.

In accordance with one aspect of the invention the folded pads are stacked one atop another with the fold line of each pad being located closely adjacent the fold line of the other pads, and with the openable mouth located closely adjacent the fold lines of the stack so that the user can grasp one of the pads at its fold line to remove it from the package through the openable mouth.

In accordance with another aspect of the invention folded pads are interleaved in the stack so that removal of one pad from the package brings a portion of another

pad to the location of the openable mouth to facilitate the removal of that other pad from the package, when desired.

DESCRIPTION OF THE DRAWING

Fig. 1 is an isometric view of one embodiment of a package, e.g., a "pillow-shaped" pouch, holding plural disposable absorbent articles, e.g., pantliners, constructed in accordance with the subject invention;

Fig. 2 is a top plan view of the package shown in Fig. 1;

Fig. 3 is an enlarged sectional view taken along line 3 - 3 of Fig. 1;

Fig. 4 is an isometric view of another embodiment of a package, e.g., a pouch, holding plural disposable absorbent articles, e.g., pantliners, constructed in accordance with the subject invention;

Fig. 5 is a top plan view of the package shown in Fig. 4;

Fig. 6 is an enlarged sectional view taken along line 6 - 6 of Fig. 4;

Fig. 7 is an isometric view of another embodiment of a package, e.g., a parallelepiped shaped gusseted package, holding plural disposable absorbent articles, e.g., pantliners, constructed in accordance with the subject invention;

Fig. 8 is a top plan view of the package shown in Fig. 7;

Fig. 9 is an end view of the package shown in Fig. 7;

Fig. 10 is an enlarged sectional view taken along line 10 - 10 of Fig. 7;

Fig. 11 is an isometric view of another embodiment of a package, e.g., a parallelepiped shaped gusseted package, holding plural disposable absorbent articles, e.g., pantliners, constructed in accordance with the subject invention;

Fig. 12 is a top plan view of the package shown in Fig. 7; and

Fig. 13 is an enlarged sectional view taken along line 13 - 13 of Fig. 10.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to the various figures of the drawing wherein like reference characters refer to like parts, there is shown in Fig. 1 a package 20 holding plural disposable absorbent sanitary articles constructed in accordance with one embodiment of this invention. It should be pointed out that as used herein the term "disposable" means that the article is designed to be used until soiled, either by urination, menses, or otherwise, and then discarded, rather than being washed and used again.

In the embodiment of Fig. 1 the article 22 is in the form of a pantiliner to be worn by a person within an undergarment for trapping urine or menses. Each of the pantliners 22 is of conventional construction, such as those sold by Kendall Confab Retail Group, a division of the assignee of this invention, under the trademark FRESH TIMES®. In the interest of brevity the details of the construction of the pantliners 22 will not be described herein. Suffice it to state that in accordance with one preferred embodiment of this invention each pantiliner 22 is a generally planar pad which has an outer sheet or layer 22A formed of a fluid-impervious, e.g., polyethylene, polypropylene or other plastic film material to form a moisture barrier, an inner liner or layer 22B formed of a fluid-pervious, e.g., a non-woven spun bonded or carded web material serving as the coverstock, and an absorbent core (not shown), e.g., an air-laid composite formed of fluff with SAP (super absorbent particles), etc., interposed between the moisture barrier and the coverstock. The top sheet may be formed of a fibrous material over the entire inner surface of the pad, or only over the inner marginal edges of the pad, and not over the intake or "target" zone (i.e., the area at which the body fluid(s) gain(s) ingress into the absorbent pad). That area may be made up of a three dimensional apertured film forming the top layer of the intake/target zone. In addition, a fluid acquisition layer formed of a fibrous material (non-woven) web may be interposed between the top sheet the a core to expedite the transfer and/or trapping of urine/menses in the pad.

The shape or outer perimeter of each pantiliner is a matter of choice or design and can be a generally hour-glass shape, a generally rounded rectangular shape, a flat oval shape, an elongated "dog-bone" shape, or any other ergonomically suitable shape.

A "position" adhesive stripe or patch (not shown) is preferably provided on the pantiliner to releasably secure the pantiliner into the crotch of an undergarment, e.g., a pair of panties, when the pantiliner is worn. In particular, in one preferred embodiment the adhesive is located on the outer layer 22A and extends for a substantial distance along the longitudinal axis of the pantiliner. A cover strip or release paper (not shown) is releasably secured over the adhesive to protect the adhesive until it is ready to be used.

When worn, the inner layer 22B of the pantiliner faces towards the body of the wearer to absorb urine, menses, etc., while the outer layer 22A prevents the urine/menses from leaking out and soiling the wearer's clothing.

In accordance with one preferred aspect of this invention each of the plural pantliners are folded in half along a transverse fold line 22C and so that the inner layer (the body engaging surface) 22B of the two folded sections abut. This serves to protect and keep the inner layer 22B fresh and clean. The folded pantliners 22 are then stacked one on top of the other and placed within the package 20. The details of the package 20 will be described later. Suffice it to state that the package is formed of a thin flexible sheet material which surrounds the stack of pantliners resulting in a construction that is quite compact and can be easily stored within a purse, pocketbook, etc. For example, package constructed in accordance with this invention can contain up to ten pantliners in a package whose size is approximately 4 inches (10.2 cm) long, 2.5 inches (6.4 cm) wide, and 0.75 inch (1.9 cm) thick, depending upon the thickness of each of the pantliners.

In accordance with one aspect of this invention, e.g., as shown in Figs. 1 and 3, three pantliners 22 are stacked one on top of another within the package 20 so that the fold line 22C of each pantiliner in the stack faces in the same direction. That direction, as will be described later, faces towards an openable mouth of the package to facilitate the removal of individual pantliners from the package, while keeping the remaining pantliners neatly folded in the stack within the package to maintain their integrity and freshness.

As best seen in Fig. 1 the package 20 basically comprises a "pillow-shaped" pouch. In particular, the pouch is in the form of a loop 24 (Fig. 3) of a rectangular or square web of any suitable type of flexible plastic film, e.g., like that used for conventional packaging of single pantliners. The loop 24 includes a first marginal edge 24A and a second marginal edge 24B. The first marginal edge overlies and overlaps the second marginal edge 24B to form an openable mouth 26 (Fig. 3) at their interface (i.e., where they overlap). The portions of the web contiguous with the marginal edges 24A and 24B form what can be referred to as the top panel 28 of the package 20. The package also includes what can be known as the a lower panel 30. That panel is located parallel to and spaced from the top panel by a pair of end panels

32 and 34, all of which are made up of portions of the web of material formed into the loop. The package 20 can be made quite small and compact, e.g., 60 mm wide by 80 mm long. The stack of pantliners 22 is located within the interior of the package 20, i.e., between the top and bottom panels as shown in Fig. 3. The top and bottom panels are heat sealed together at 36 along their other marginal edges 24C and 24D to hold the stack of pantliners within the package.

In the embodiment illustrated in Fig. 3 the stack of pantliners is oriented so that the fold lines 22C of each of the pantliners is located adjacent the openable mouth 26. Thus, when a user wishes to remove a pantliner 22 from the package 20, all that she has to do is to insert her thumb and index finger through the openable mouth 26 to grasp the uppermost of the pantliners in the stack adjacent its fold line 22C. Once grasped the pantliner 22 can then be pulled through the mouth 26. Once the pantliner clears the mouth the marginal portions 24A and 24B of the package forming the mouth reclose (move back into their normal overlapping relationship) to effectively reseal the mouth and thereby prevent the ingress of dirt or debris into the package. Even if any dirt or debris should gain ingress into the package via the mouth 26, the fact that the remaining pantliners within the package are folded and stacked so that their body engaging surfaces are not exposed will tend to keep them. If desired, a re-sealable adhesive area 38 (Fig. 2) can be placed at the interface of the marginal portions 24A and 24B forming the package's mouth 26 to hold the mouth closed until a pantliner 22 is to be removed, at which time the adhesive seal 38 can be broken to open the mouth 26 and withdraw the pantliner. Then the mouth can be resealed by the adhesive.

If desired, the pantliners 22 may be stacked and interleaved in the package 20 in a manner akin to that commonly done with purse-size facial tissue packages. To that end the stack of pantliners may be arranged such that they are interleaved and with their fold lines alternating in opposite directions. In particular, the upper most of the two folded portions of the lowermost pantliner in the stack is located between the uppermost and lowermost of the two folded portions of the pantliner immediately above it with the fold line of one pantliner being located adjacent the end panel 32 and the fold line of the other pantliner being located adjacent the end panel 34. The other pantliners in the stack from that point upward are similarly interleaved. Thus, when the topmost pantliner is withdrawn from the package through the mouth, it will carry

with it a portion of the pantiliner immediately below it to facilitate the removal of that lower pantiliner from the package when desired.

In Fig. 4 there is shown an alternative "pouch" type package 100 constructed in accordance with this invention. The package 100 is similar in construction in many respects to the package 20. Thus, in the interest of brevity the same reference numbers will be given for the common components of the packages 20 and 100 and the stack of pantliners 22 therein. The pouch 100 is a U-shaped member 102 formed of a rectangular or square web of any suitable type of flexible plastic film like that used for the package 20. The U-shaped member includes a first marginal edge 102A and a second marginal edge 102B which overlie and abut each other, a third marginal edge 102C and an fourth marginal edge 102D which overlie and abut each other, and a fifth marginal edge 102E and a sixth marginal edge 102F which overlie and abut each other. The portions of the web contiguous with the marginal edges 102A and 102B form the top panel 104 and bottom panel 106, respectively, of the package 100. The bottom panel is located parallel to and spaced from the top panel by an end panel 108. All of the panels are made up of respective portions of the web of material forming the U-shaped member 102. The stack of pantliners 22 is located within the interior of the package 100, i.e., between the top and bottom panels as shown in Fig. 6. The top and bottom panels are heat sealed together at 110 along their abutting marginal edges 102A and 102B, 102C and 102D, and 102E and 102F to hold the stack of pantliners within the package.

A weakened or perforated line 112, in the form of a semi-circle, is located in the top panel 104 centered at the interface of that panel and the end panel 108 as can be seen in Figs. 4 and 5. The weakened line forms the openable mouth for the package 100. In the embodiment illustrated in Figs. 4 - 6 the stack of pantliners is oriented so that the fold lines 22C of each of the pantliners is located adjacent the openable mouth 112. Thus, when a user wishes to remove a pantiliner 22 from the package 20, all that she has to do is break open the perforated line 112 to form the mouth for the package and to insert her thumb and index finger through the mouth to grasp the uppermost of the pantliners in the stack adjacent its fold line 22C. Once grasped the pantiliner 22 can then be pulled through the mouth 112. If desired the stack of pantliners may be interleaved, like that described earlier, to cause a portion of the next

succeeding pantiliner to be pulled out of the mouth of the package 100 after one pantiliner has been pulled therethrough.

In Fig. 7 there is shown another alternative package 200 constructed in accordance with this invention. The package 200 is a generally parallelepiped shaped gusseted package which is somewhat similar in construction to the packages 20 and 100 and is similar in construction to the packaging used for the heretofore identified FRESH TIMES® product. Thus, in the interest of brevity the same reference numbers will be given for the common components of the packages 20, 100 and 200 and the stack of pantliners 22 therein. The package 200 is formed of a web of any suitable type of flexible plastic film like that used for the packages 20 and 100 and includes a first marginal edge 202A (Figs. 7, 8 and 10) and a second marginal edge 202B (Figs. 7 and 10) which overlie and abut each other. The package, being of a generally parallelepiped shape, includes a top panel 204, a bottom panel 206, a pair of gusseted side panels 208 and 210 located between the top and bottom panels, respectively, an inverted end panel 212, and an opposed flanged end panel 214 formed by a heat seal 216 (Fig. 8) extending along the abutting marginal edges 202A and 202B. The bottom panel is located parallel to and spaced from the top panel by the end and side panels to form a hollow interior in which a stack of five pantliners 22 is located. All of the panels of the package 200 are made up of respective portions of the web of material forming the package. The stack of pantliners 22 is located within the interior of the package between the top and bottom panels as shown in Fig. 10.

A weakened or perforated line 216, in the form of a straight line, is located in the inverted end panel 212 centered between the top panel 204 and the bottom panel 206 as can be seen in Figs. 7 and 9. The weakened line 216 forms the openable mouth for the package 200. In the embodiment illustrated in Figs. 7 - 10 the stack of pantliners is oriented so that the fold line 22C of each of the pantliners is located adjacent the openable mouth 216. Thus, when a user wishes to remove a pantiliner 22 from the package 20, all that she has to do is break open the perforated line 216 of the end panel 212 to form the mouth for the package and to insert her thumb and index finger through the mouth to grasp the uppermost of the pantliners in the stack adjacent its fold line 22C. Once grasped the pantiliner 22 can then be pulled through the mouth 216. If desired the stack of pantliners may be interleaved, like that

described earlier, to cause a portion of the next succeeding pantiliner to be pulled out of the mouth of the package 200 after one pantiliner has been pulled therethrough.

In Fig. 11 there is shown another alternative package 300 constructed in accordance with this invention. The package 300 is identical in construction to the package 200 except for the construction of the openable mouth. Thus, in the interest of brevity the same reference numbers will be given for the common components of the packages 200 and 300 and the stack of pantliners 22 therein, and the details of that construction will not be reiterated.

The openable mouth for the package 300 is not located within the end panel 212, but instead is located in the top panel 204. In particular, a weakened or perforated line 312, in the form of a semi-circle, like that described earlier, is located in the top panel 204 centered at the interface of that panel and the end panel 212 as can be seen in Figs. 11 and 12. The stack of pantliners is oriented within the package 300 so that the fold lines 22C of each of the pantliners is located adjacent the openable mouth 312. Thus, when a user wishes to remove a pantiliner 22 from the package 300, all that she has to do is break open the perforated line 312 to form the mouth for the package and to insert her thumb and index finger through the mouth to grasp the uppermost of the pantliners in the stack adjacent its fold line 22C. Once grasped the pantiliner 22 can then be pulled through the mouth 312. If desired the stack of pantliners may be interleaved, like that described earlier, to cause a portion of the next succeeding pantiliner to be pulled out of the mouth of the package 300 after one pantiliner has been pulled therethrough.

It is contemplated that the flexible material used to form the packages of this invention be opaque to hide the contents of the package, so that the pantliners may be held discreetly within a woman's purse or pocketbook. Moreover, the packaging material may have indicia, e.g., floral motifs, geometric patterns, etc., printed thereon or otherwise applied to provide an aesthetically pleasing or decorative appearance.

It should be pointed out at this juncture that other modifications to the packages of this invention are also contemplated. For example, the packages need not be formed of flexible materials, such as plastic films, but may be formed of cardboard or other paperboard stock or other materials used for forming relatively rigid cartons. Moreover, the pantliners need not be folded in two as described above, but may be

folded into more than two sections, if desired. In fact, in some applications, it may be desired to leave the pantliners unfolded within the package.

Without further elaboration the foregoing will so fully illustrate my invention that others may, by applying current or future knowledge, adopt the same for use under various conditions of service.

CLAIMS

1. In combination a package and plural absorbent pads, each of said pads being an elongated generally planar member arranged to be worn by a wearer to trap and collect fluid waste products of the wearer, each of said pads having a body engaging surface and having a periphery in the form of an opposed pair of end portions and an opposed pair of side portions, the dimensions of the side portions being longer than the end portions, each of said pads being folded along a line extending transversely to the side portions thereof, whereupon said body engaging surface of each of said folded pads forms the inner surface of said folded pad, said folded pads being in the form of a stack, said package being formed of a flexible sheet material and having a hollow interior into which said stack of pads is located, said package having an openable mouth, said openable mouth being located immediately adjacent said stack of pads, whereupon a user can grasp one of said pads to remove the grasped pad from the package through said openable mouth.

2. The combination of Claim 1 wherein said folded pads are stacked one atop another with the fold line of each pad being located closely adjacent the fold line of the other pads, and wherein said openable mouth is located closely adjacent said fold lines of said stack of pads, whereupon the user can grasp one of said pads at said fold line to remove the grasped pad from the package through said openable mouth.

3. The combination of Claim 1 wherein said openable mouth comprises a breakable line in said flexible sheet material forming said package.

4. The combination of Claim 2 wherein said openable mouth comprises a breakable line in said flexible sheet material forming said package.

5. The combination of Claim 1 wherein said folded pads are interleaved in said stacked, whereupon removal of one pad from said package brings a portion of another pad to the location of the openable mouth to facilitate the removal of said another pad from the package, when desired.

6. The combination of Claim 1 wherein said package is of a parallelepiped shape.

7. The combination of Claim 1 wherein each of said pads comprising a top-sheet, a fluid absorbent core, and a cover sheet, and wherein each of said pads is folded so that said cover sheet forms the exterior surface thereof.

8. The combination of Claim 4 wherein each of said pads comprises an adhesive strip located on said cover sheet.

9. The combination of Claim 1 wherein said package comprises a generally pillow shaped pouch formed of a web of flexible material wrapped into a tube having two marginal edges which overlap each other to form said openable mouth.

10. The combination of Claim 9 wherein said tube includes an opposed pair of ends, each of said ends being sealed.

11. The combination of Claim 1 wherein said package comprises a generally pillow shaped pouch formed of a web of flexible material wrapped into a generally U-shaped configuration, sealed along its marginal edges to form a front panel and a rear panel, one of said front or rear panels including said openable mouth.

12. The combination of Claim 11 wherein said openable mouth comprises a weakened line in said flexible material.

13. The combination of Claim 12 wherein said weakened line is arcuate.

14. The combination of Claim 1 wherein said package is a generally parallelepiped shaped gusseted member formed of a web of flexible material having a front panel, a rear panel, a pair of side panels, and a pair of end panels.

15. The combination of Claim 14 wherein one of said end panels includes said openable mouth.

16. The combination of Claim 15 wherein said openable mouth comprises a weakened line in said flexible material.

5

17. The combination of Claim 16 wherein said weakened line is linear.

18. The combination of Claim 14 wherein one of said front and rear panels includes said openable mouth.

.0

19. The combination of Claim 18 wherein said openable mouth comprises a weakened line in said flexible material.

20. The combination of Claim 19 wherein said weakened line is arcuate.

5

21. The combination of Claim 1 wherein said flexible sheet material is opaque to hide the pads from view.

22. The combination of Claim 21 wherein said flexible sheet material includes decorative indicia thereon to render the package aesthetically pleasing.

!0

23. The combination of Claim 1 wherein said package is approximately 4 inches (10.2 cm) long, 2.5 inches (6.4 cm) wide, and 0.75 inch (1.9 cm) thick.




FIG. 1




FIG. 2





FIG. 3






FIG. 8




FIG. 9




FIG. 10







FIG. 7



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
31 January 2002 (31.01.2002)

PCT

(10) International Publication Number
WO 02/08087 A3

(51) International Patent Classification⁷: B65D 83/08.
75/58

(21) International Application Number: PCT/US01/21983

(22) International Filing Date: 12 July 2001 (12.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/619,158 19 July 2000 (19.07.2000) US

(71) Applicant (for all designated States except US): CON-
FAB SERVICES, AG [CH/CH]; Schwertstrasse, No. 9,
CH-8200 Schaffhausen (CH).

(71) Applicant and

(72) Inventor: LEVY, Ruth [US/US]; 46 Basswood Court,
Collegeville, PA 19426 (US).

(74) Agent: STEIN, Barry, A.; Caesar, Rivise, Bernstein, Co-
hen & Pokotilow, Ltd., 12th floor, Seven Penn Center, 1635
Market Street, Philadelphia, PA 19103-2212 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:
10 May 2002

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: PACKAGE FOR A PLURALITY OF PLURAL PANTILINERS



(57) Abstract: The combination of a pack-
age (20) and plural absorbent pads (22), e.g.,
pantiliners. The pads are folded and stacked
on top of one another. The package includes
an openable mouth (26) so that the user can
grasp one of the pads to remove it from the
package. The pads of the stack of may be
interleaved so that removal of one pad from
the package brings a portion of another pad
to the mouth to facilitate the removal of that
other pad from the package.

WO 02/08087 A3

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 01/21983

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 B65D83/08 B65D75/58

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 B65D A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 391 460 A (PROCTER & GAMBLE) 10 October 1990 (1990-10-10) column 8, line 42 -column 10, line 53; figures ---	1-4, 6, 21, 22
X	EP 0 419 770 A (CHRISTIAN SENNING) 3 April 1991 (1991-04-03) the whole document ---	1-4, 6, 7, 23 8-20
Y		
A	US 5 699 911 A (JOSEPH) 23 December 1997 (1997-12-23) the whole document ---	1
X	WO 97 33815 A (SCA MÖLNLYCKE) 18 September 1997 (1997-09-18) claims; figures ---	1-7
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

21 February 2002

Date of mailing of the international search report

07/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Newell, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/21983

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	GB 2 273 279 A (KAO CORP) 15 June 1994 (1994-06-15) cited in the application	8
A	the whole document ---	7
Y	FR 2 581 619 A (BEGHIN-SAY) 14 November 1986 (1986-11-14) page 3, line 1 - line 10 page 4, line 24 - line 37; figures	9,10
Y	EP 0 193 130 A (NAKAMURA) 3 September 1986 (1986-09-03) page 9, line 3 - line 28 page 11, line 11 - line 17; figures 1-10,23 ---	11-20
A	DE 37 00 988 A (SENGEWALD) 28 July 1988 (1988-07-28) the whole document ---	11,13
A	EP 0 223 262 A (KIMBERLY-CLARK) 27 May 1987 (1987-05-27) claim 6; figure 1 ---	13-15,20
A	GB 2 035 258 A (GRAEDON) 18 June 1980 (1980-06-18) page 1, line 65 - line 75; figures ---	15-17
A	NL 8 600 546 A (VAN DER REE) 1 October 1987 (1987-10-01) figures 1-3 ---	17
A	US 3 349 993 A (ELLS) 31 October 1967 (1967-10-31) column 1, line 30 - line 34 -----	21

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 01/21983

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 391460	A	10-10-1990	US 4934535 A	19-06-1990
			AT 112748 T	15-10-1994
			AU 647019 B2	17-03-1994
			AU 5248890 A	11-10-1990
			BR 9001574 A	30-04-1991
			CA 2012845 A1	04-10-1990
			CN 1046136 A ,B	17-10-1990
			DE 69013198 D1	17-11-1994
			DE 69013198 T2	24-05-1995
			EP 0391460 A1	10-10-1990
			ES 2060925 T3	01-12-1994
			FI 95453 B	31-10-1995
			HK 97496 A	14-06-1996
			IE 64600 B1	23-08-1995
			JP 2888914 B2	10-05-1999
			JP 3000669 A	07-01-1991
			KR 204555 B1	15-06-1999
			MX 166983 B	18-02-1993
			NZ 233182 A	27-01-1993
			PH 26888 A	16-11-1992
			PT 93651 A ,B	20-11-1990
			TR 24246 A	01-07-1991
			US 5022216 A	11-06-1991
EP 419770	A	03-04-1991	DE 8911486 U1	31-01-1991
			CA 2025856 A1	28-03-1991
			EP 0419770 A1	03-04-1991
			JP 3148479 A	25-06-1991
US 5699911	A	23-12-1997	AU 3815297 A	06-03-1998
			BR 9711129 A	08-09-1999
			CN 1232381 A	20-10-1999
			EP 0925053 A1	30-06-1999
			JP 2000501053 T	02-02-2000
			WO 9806369 A1	19-02-1998
			US 6015045 A	18-01-2000
			ZA 9707113 A	19-02-1998
WO 9733815	A	18-09-1997	AU 2049197 A	01-10-1997
			CZ 9802898 A3	15-09-1999
			DE 69703937 D1	22-02-2001
			DE 69703937 T2	21-06-2001
			EP 0938437 A1	01-09-1999
			EP 0947446 A1	06-10-1999
			JP 2001501557 T	06-02-2001
			PL 328794 A1	15-02-1999
			SE 9600996 A	16-09-1997
			WO 9733815 A1	18-09-1997
			SK 125298 A3	12-07-1999
			ZA 9702013 A	17-09-1997
GB 2273279	A	15-06-1994	GB 2298627 A ,B	11-09-1996
			HK 29297 A	21-03-1997
			HK 1002989 A1	30-09-1998
			SG 44596 A1	19-12-1997
FR 2581619	A	14-11-1986	FR 2581619 A1	14-11-1986

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 01/21983

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 193130	A	03-09-1986	JP 3021404 B	22-03-1991
			JP 61203305 A	09-09-1986
			CA 1255640 A1	13-06-1989
			DE 3670814 D1	07-06-1990
			EP 0193130 A2	03-09-1986
			US 4610357 A	09-09-1986
			US 4653250 A	31-03-1987
DE 3700988	A	28-07-1988	DE 3700988 A1	28-07-1988
EP 223262	A	27-05-1987	AU 6554086 A	28-05-1987
			EP 0223262 A2	27-05-1987
			JP 62168879 A	25-07-1987
GB 2035258	A	18-06-1980	NONE	
NL 8600546	A	01-10-1987	NONE	
US 3349993	A	31-10-1967	US 3320863 A	23-05-1967